

Notice of Allowability

Application No.

09/939,897

Examiner

Matt P Hodges

Applicant(s)

KOMORI ET AL

Art Unit

2879

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 3/5/2004.
2. ☒ The allowed claim(s) is/are 1-13 and 16-19.
3. ☒ The drawings filed on 25 January 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Response to Amendment

The Amendment, filed on 03/05/2004, has been entered and acknowledged by the Examiner.

Allowable Subject Matter

Claims 1-13 and 16-19 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 1, and specifically comprising the limitation of cathode ray tube panel that does not substantially contain PbO and which contains in mass percent 9-9.5 % SrO, 8.5-9 % BaO, 0.1-2.5 % ZrO₂ and 0.1-2 % TiO₂, with SrO/(SrO+BaO) being 0.50 - 0.53, and which has an X-ray absorption coefficient of 28.0⁻¹ or more at 0.6 Å. Specifically the ratio of SrO to SrO+BaO in addition to the specific percentages of ZrO₂ and TiO₂ are not disclosed in the prior art nor would the ratio be an obvious selection to one having ordinary skill in the art. See applicants remarks dated 3/5/2004 for additional explanation.

Regarding claims 2 and 3, claims 2 and 3 are allowable for the reasons given in claim 1 because of their dependency status from claim 1.

Regarding claim 4, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 4, and specifically comprising the limitation of cathode ray tube panel that does not substantially contain PbO and which contains in mass

Art Unit: 2879

percent 9-9.5 % SrO, 8.5-9 % BaO, 0.1-2.5 % ZrO₂ and 0.1-2 % TiO₂, with SrO/(SrO+BaO) being 0.50 - 0.53, and which has an X-ray absorption coefficient of 28.0⁻¹ or more at 0.6 Å.

Regarding claims 5-13 and 16-19, claims 5-13 and 16-19 are allowable for the reasons given in claim 4 because of their dependency status from claim 4.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matt P Hodges whose telephone number is (571) 272-2454. The examiner can normally be reached on 7:30 AM to 4:00 PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on (571) 272-2457. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7382 for regular communications and (703) 308-7382 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

mph



NIMESHKUMAR D. PATEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800